
# Framing Information: 31H Tunnel (Screen & DG)



# Framing Dimensions



Model	А	В	С	D
31H Tunnel	85 ½ <sub>6</sub> "	38 % "	19 ½ <sub>16</sub> "	Refer to Vent Manufacturer's Firestop Dimensions

Note: 1. Drawings are not to Scale

2. All dimensions in inches

3. No weight can be transferred to the fireplace. ALL FRAMING MUST BE SELF-SUPPORTED.

# Framing Information: 31H Tunnel (Screen & DG) Framing Details Heat Release Heat Release 5/8" Type X —— Drywall on Framing Exterior 5/8" Type X Drywall on Framing Exterior Combustible Framing **Elevation View** Section View Air Intake (required for double glass only) The valve can be moved 36" from the center of the fireplace in any Top View

Note: 1. Drawings are not to Scale

2. All dimensions in inches

3. No weight can be transferred to the fireplace. ALL FRAMING MUST BE SELF-SUPPORTED.


Page 2 of 3

direction


# Framing Information: 31H Tunnel (Screen & DG)




# Fireplace Dimensions



Front View



Side View



ප <u> </u>		۵
<b>Y</b>	C2	

Top View

Model	(H)	(W)	(D)	C1	C2 C3		Viewing Area
Wiodei	Height	Width	Depth	Ci			Front & Back
31H Tunnel	85 ¼ <sub>6</sub> "	38 <sup>9</sup> ⁄ <sub>16</sub> "	19 ½ <sub>6</sub> "	7 %"	19 ½ <sub>6</sub> "	9 %6"	30 %" W X 64 <sup>1</sup> % <sub>6</sub> " H

Note: 1. Drawings are not to Scale

2. All dimensions in inches