


Framing Dimensions



Model		В	(2	D	
iviodei	Model A B		MIN	MAX	В	
31H In-Out	92 %6"	40 ½"	24 %"	27 1/4"	Refer to Vent Manufacturer's Firestop Dimensions	13 ¾"

Note: 1. Drawings are not to Scale


2. All dimensions in inches

3. No weight can be transferred to the fireplace. ALL FRAMING MUST BE SELF-SUPPORTED.

Page 1 of 5



Framing Details



Note: 1. Drawings are not to Scale


2. All dimensions in inches

3. No weight can be transferred to the fireplace. ALL FRAMING MUST BE SELF-SUPPORTED.

Page 2 of 5



Exterior Framing Details




Model	F	G
31H In-Out	32 1/4"	69 ¾"

Note: 1. Drawings are not to Scale


2. All dimensions in inches




Fireplace Dimensions







Side View



IN	C3
C2	
OUT	Viewing Area Width

Top View

Model	Model (H) (W) (D) Height Width fixed Depth C1 C2 C3							
		Width	fixed Depth	"	02	00	IN	OUT
31H In-Out	78 ⁵ ⁄8"	36 1/8"	24 ¹ / ₁₆ "	7 %"	9 %6"	18 ½ ₆ "	30 ½" W X 64 ½6" H	32" W X 69 1/8" H

Note: 1. Drawings are not to Scale


2. All dimensions in inches





Fireplace Dimensions

Minimum depth

Maximum depth







Model	J min	J max	K min	K max
31H In-Out	23 ½"	26 1/8"	5 ³ ⁄8"	8 ½6"

Note: 1. Drawings are not to Scale

2. All dimensions in inches

Page 5 of 5