
Framing Information: Tunnel 110HH DG



Framing Dimensions



| Model | A | В | С | D | E |
|----------|---------|------------------------------------|---------|--|---------|
| TU 110HH | 57 1/8" | 52 ¹³ ⁄ ₁₆ " | 19 1/4" | Refer to Vent Manufacturer's Firestop Dimensions | 14 1/8" |

Note: 1. Drawings are not to Scale

2. All dimensions in inches

3. No weight can be transferred to the fireplace. ALL FRAMING MUST BE SELF-SUPPORTED.

Framing Information: Tunnel 110HH DG Framing Details Heat Release Heat Release 5/8" Type X —— Drywall on Framing Exterior 5/8" Type X Drywall on Combustible Framing Framing Exterior Non-Combustible Framing <u>2" min</u> 2" min Section View Elevation View <u>2" min</u> <u>2" min</u> Top View The valve can be moved 36" from the center

Note: 1. Drawings are not to Scale

2. All dimensions in inches

3. No weight can be transferred to the fireplace. ALL FRAMING MUST BE SELF-SUPPORTED.


of the fireplace in any

direction


Framing Information: Tunnel 110HH DG




Fireplace Dimensions




Front View



Side View





| Model | (H) | (W) | (D) | C1 | C2 | C3 | Viewing Area |
|----------|------------------------------------|------------------------------------|--------------|------|--------|------|-------------------|
| Model | Height Width Depth | CS | Front & Back | | | | |
| TU 110HH | 42 ¹⁵ / ₁₆ " | 48 ¹³ / ₁₆ " | 19 1⁄4" | 7 %" | 24 ½6" | 9 %" | 43 ½" W X 29 ½" H |

Note: 1. Drawings are not to Scale

2. All dimensions in inches