



# Certificate of Compliance

**Certificate:** 2358468 **Master Contract:** 251419 (251419)  
**Project:** 70186010 **Date Issued:** 2018-06-05  
**Issued to:** **Ortal Ltd** **Certification:** ANSI Z21.88/CSA 2.33-2018  
**14 Haharash St.**  
**Hod Hasharon, 45240**  
**ISRAEL**  
**Attention: Tal Gross**

*The products listed below are eligible to bear the CSA Mark shown with adjacent indicators 'C' and 'US' for Canada and US or with adjacent indicator 'US' for US only or without either indicator for Canada only.*



**Issued by:** *Parker Burrola*  
 Parker Burrola

**PRODUCTS**

CLASS - C290104 - DOMESTIC HEATERS (GAS)-Vented Fireplace  
 CLASS - C290184 - DOMESTIC HEATERS (GAS)-Vented Fireplace-Certified to U.S. Standards

For Use With Natural and Propane Gas

Direct Vent Gas Fireplace Heater

Model Number

	Single Burner Maximum Input Rating NG	Single Burner Maximum Input Rating Propane	Dual Burner Maximum Input Rating NG	Dual Burner Maximum Input Rating Propane
Clear - 40/RS/LS/TS/Tunnel	23,670	21,000	---	---
Clear - 4070H /RS/LS/TS/Tunnel	23,670	21,000	---	---
Clear - 4090H /RS/LS/TS/Tunnel	23,670	21,000	---	---
Stand alone 40TS	23,670	21,000	---	---
Small Square	23,670	21,000	---	---
Classic Corner	23,670	21,000	---	---
Classic Modern	23,670	21,000	---	---



**Certificate:** 2358468  
**Project:** 70186010

**Master Contract:** 251419  
**Date Issued:** 2018-06-05

Clear - 75/RS/LS/TS	29,100	22,118	33,029	28,500
Stand Alone 75/TS	29,100	22,118	33,029	28,500
Space Creator 75	29,100	22,118	33,029	28,500
Minimal – 75	29,100	22,118	33,029	28,500
Clear 75x65/Tunnel	29,100	22,118	33,029	28,500
Clear 75x65H /Tunnel	29,100	22,118	33,029	28,500
Stand Alone 75x65 Curve/Tunnel	29,100	22,118	33,029	28,500
Clear - 60x80/Tunnel	29,100	22,118	33,029	28,500
Minimal – 60x80/Tunnel	29,100	22,118	33,029	28,500
Classic F 70/80	29,100	22,118	33,029	28,500
4 Glass Island	29,100	22,118	33,029	28,500
Clear - 80/RS/LS/TS	29,100	22,118	33,029	28,500
Clear - 8070H/RS/LS/TS	29,100	22,118	33,029	28,500
Clear - 75H/RS/LS/TS	29,100	22,118	33,029	28,500
Traditional 90	29,100	22,118	33,029	28,500
Traditional 110	29,100	22,118	33,029	28,500
Clear 90 RS/LS/TS/Tunnel (B70)	33,127	19,591	36,154	35,260
Clear 90H RS/LS/TS/Tunnel (B70)	33,127	19,591	36,154	35,260
Clear - 110/RS/LS/TS/Tunnel	37,167	28,500	42,185	33,400
Stand Alone 110 /TS	37,167	28,500	42,185	33,400
Minimal – 110/Tunnel	37,167	28,500	42,185	33,400
Island 130	37,167	28,500	42,185	33,400
Minimal – 130/Tunnel	37,167	28,500	42,185	33,400
Clear – 110H RS/LS/TS/Tunnel	37,167	28,500	42,185	33,400
Clear 130H RS/LS/TS	37,167	28,500	42,185	33,400
Clear - 130/RS/LS/TS/Tunnel/Top	37,167	28,500	42,185	33,400
Space Creator 120 / Mini / Midi	37,167	28,500	42,185	33,400
Space Creator 120H	37,167	28,500	42,185	33,400
Clear 140 RS/LS/TS/Tunnel	43,715	36,850	49,616	37,400
Clear – 150/H/RS/LS/TS/Tunnel	43,715	36,850	49,616	37,400
Space Creator 150	43,715	36,850	49,616	37,400
Space Creator 150H	43,715	36,850	49,616	37,400
Stand Alone 150	43,715	36,850	49,616	37,400
Clear 150H-RS/LS/TS/Tunnel	43,715	36,850	49,616	37,400
Clear 150H-RS/LS/TS/Tunnel	43,715	36,850	49,616	37,400
Clear - 170/RS/LS/TS/Tunnel	43,715	36,850	49,616	37,400
Clear 170H-RS/LS/TS/Tunnel	43,715	36,850	49,616	37,400
160 Burner				
Clear – 200/H/RS/LS/TS/Tunnel	51,277	36,659	58,200	37,500
Space Creator 200	51,277	36,659	58,200	37,500
Space Creator 200H	51,277	36,659	58,200	37,500



**Certificate:** 2358468  
**Project:** 70186010

**Master Contract:** 251419  
**Date Issued:** 2018-06-05

Clear - 250/RS/LS/TS/Tunnel	51,277	36,659	58,200	37,500
Clear – 250H RS/LS/TS/Tunnel	51,277	36,659	58,200	37,500

180 Burner

Clear –200 RS/LS/TS/Tunnel/DG	52,700
Clear-200H RS/LS/TS/Tunnel	52,700
Space Creator 200	52,700
Space Creator 200H	52,700
Clear -250/RS/LS/TS/Tunnel/DG	52,700
Clear – 250H RS/LS/TS/Tunnel	52,700

\* - ALTITUDE: N = 0 to 2,000; feet above sea level.

Note: For elevations above 2000 Ft., this appliance shall be de-rated 4% for each 1000 Ft. above sea level.

	Single Burner Minimum Input Rating NG	Single Burner Minimum Input Rating Propane	Dual Burner Minimum Input Rating NG	Dual Burner Minimum Input Rating Propane
Clear - 40/RS/LS/TS/Tunnel	10,419	12,841	---	---
Clear - 4070H /RS/LS/TS/Tunnel	10,419	12,841	---	---
Clear - 4090H /RS/LS/TS/Tunnel	10,419	12,841	---	---
Stand alone 40TS	10,419	12,841	---	---
Small Square	10,419	12,841	---	---
Classic Corner	10,419	12,841	---	---
Classic Modern	10,419	12,841	---	---
Clear - 75/RS/LS/TS	16,147	13,811	18,327	17,796
Stand Alone 75/TS	16,147	13,811	18,327	17,796
Space Creator 75	16,147	13,811	18,327	17,796
Minimal – 75	16,147	13,811	18,327	17,796
Clear 75x65/Tunnel	16,147	13,811	18,327	17,796
Clear 75x65H /Tunnel	16,147	13,811	18,327	17,796
Stand Alone 75x65 Curve/Tunnel	16,147	13,811	18,327	17,796
Clear - 60x80/Tunnel	16,147	13,811	18,327	17,796
Minimal – 60x80/Tunnel	16,147	13,811	18,327	17,796
Classic F 70/80	16,147	13,811	18,327	17,796
4 Glass Island	16,147	13,811	18,327	17,796
Clear - 80/RS/LS/TS	16,147	13,811	18,327	17,796
Clear - 8070H/RS/LS/TS	16,147	13,811	18,327	17,796
Clear - 75H/RS/LS/TS	16,147	13,811	18,327	17,796
Traditional 90	16,147	13,811	18,327	17,796
Traditional 110	16,147	13,811	18,327	17,796
Clear 90 RS/LS/TS/Tunnel	14,461	14,104	14,461	14,104
Clear 90H RS/LS/TS/Tunnel	14,461	14,104	14,461	14,104



**Certificate:** 2358468  
**Project:** 70186010

**Master Contract:** 251419  
**Date Issued:** 2018-06-05

Clear - 110/RS/LS/TS/Tunnel	22,800	22,900	28,878	26,837
Stand Alone 110 /TS	22,800	22,900	28,878	26,837
Minimal 110 /Tunnel	22,800	22,900	28,878	26,837
Island 130	22,800	22,900	28,878	26,837
Minimal 130 /Tunnel	22,800	22,900	28,878	26,837
Clear – 110H RS/LS/TS/Tunnel	22,800	22,900	28,878	26,837
Clear 130H RS/LS/TS	22,800	22,900	28,878	26,837
Clear - 130/RS/LS/TS/Tunnel/Top	22,800	22,900	28,878	26,837
Space Creator 120 / Mini / Midi	22,800	22,900	28,878	26,837
Space Creator 120H	22,800	22,900	28,878	26,837
Clear 140 RS/LS/TS/Tunnel	23,300	27,100	28,878	27,467
Clear – 150/H/RS/LS/TS/Tunnel	23,300	27,100	28,878	27,467
Space Creator 150	23,300	27,100	28,878	27,467
Space Creator 150H	23,300	27,100	28,878	27,467
Stand Alone 150	23,300	27,100	28,878	27,467
Clear 150H-RS/LS/TS/Tunnel	23,300	27,100	28,878	27,467
Clear - 170/RS/LS/TS/Tunnel	23,300	27,100	28,878	27,467
Clear 170H-RS/LS/TS/Tunnel	23,300	27,100	28,878	27,467
160 Burner				
Clear – 200/H/RS/LS/TS/Tunnel	27,467	26,400	27,454	37,500
Space Creator 200	27,467	26,400	27,454	37,500
Space Creator 200H	27,467	26,400	27,454	37,500
Clear - 250/RS/LS/TS/Tunnel	27,467	26,400	27,454	37,500
Clear – 250H RS/LS/TS/Tunnel	27,467	26,400	27,454	37,500
180 Burner				
Clear – 200/H/RS/LS/TS/Tunnel	21,700			
Space Creator 200	21,700			
Space Creator 200H	21,700			
Clear - 250/RS/LS/TS/Tunnel	21,700			
Clear – 250H RS/LS/TS/Tunnel	21,700			

**APPLICABLE REQUIREMENTS**

ANSI Z21.88-2016/CSA 2.33-2016 - Vented Gas Fireplace Heaters  
 EEV P4.1-02, P4.1-09 Testing Method for Annual Fireplaces Efficiency



## *Supplement to Certificate of Compliance*

**Certificate:** 2358468

**Master Contract:** 251419 (251419)

*The products listed, including the latest revision described below, are eligible to be marked in accordance with the referenced Certificate.*

### **Product Certification History**

<b>Project</b>	<b>Date</b>	<b>Description</b>
70186010	2018-06-05	Add models Clear (130,150,250)H High Glass models tested in project 70145247. Finalizing certification after receiving all documentation. Update to ANSI Z21.88/CSA 2.33-2016 per gas notice 400.
70031531	2015-08-21	Updated Gas Fireplaces to Gas Notice 329 to ANSI Z21.88/CSA 2.33-2014
2758663	2014-11-21	Tested glass barriers to Gas Fireplaces requirement to (Gas Notices 294 & 329). Updated report to ANSI Z21.88/CSA 2.33-2014 and added Class Nos. 8805-05 P4.1-02 Testing Method for Annual Fireplace Efficiency.
2605464	2013-09-25	Add alternate model nos. 4 Glass Island, Clear-250, 350, 400-RS,LS,TS, Tunnel and Power Vent System-Dura Vent and added gas components.
2503686	2012-04-25	Corrected Factory Inspection Report.
2440619	2011-08-11	Efficiency Testing CSA P.4.1-02 for Canadian Certification.
2395268	2011-02-15	Address corrected to Certificate of Compliance.
2358468	2011-01-14	Original Certification